	Page: 1
SAFETY DATA SHEET	Revision Date: 06.10.2022
	Print Date: 27.06.2023
	SDS Number: R1600030
HTH SPA CLEAN	Version: 1.0
251461	

Conforms to EU Regulation 1907/2006/EC as amended.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: HTH SPA CLEAN

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Detergent

1.3 Details of the supplier of the safety data sheet Innovative Water Care Europe Z.I. LA BOITARDIERE BP 219 37402 Amboise Cedex France	1.4 Emergency telephone number Europe: NCEC +44 (0)1235 239 670, Africa, and Middle East: NCEC +44 (0)1235 239 671 , or contact your local emergency telephone number at 112
Innovative Water Care Ltd The Studios - Colorado Way Castleford - West Yorkshire WF10 4TA United Kingdom	
E-mail address of person responsible for the SDS: EHSProductSafetyTeam@solenis.com	
Product Information Innovative Water Care Europe: +33 (0)2 47 23 43 00, Innovative Water Care Ltd: +44 (0) 1924 792909	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)			
Skin corrosion, Category 1	H314: Causes severe skin burns and eye damage.		
Serious eye damage, Category 1	H318: Causes serious eye damage.		

	Page: 2
SAFETY DATA SHEET	Revision Date: 06.10.2022
	Print Date: 27.06.2023
	SDS Number: R1600030
HTH SPA CLEAN	Version: 1.0
251461	

2.2 Label elements

Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	H314 Causes severe skin burns and eye damage.
Precautionary statements	:	 P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read carefully and follow all instructions.
		Prevention:
		P264 Wash hands thoroughly after handling.P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
		Response:
		 P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
		Storage: P405 Store locked up.
		I
		Disposal: P501 Dispose of contents/ container to an approved waste disposal plant.

Hazardous components which must be listed on the label: potassium hydroxide SODIUM METASILICATE PENTAHYDRATE

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

	Page: 3
SAFETY DATA SHEET	Revision Date: 06.10.2022
	Print Date: 27.06.2023
	SDS Number: R1600030
HTH SPA CLEAN	Version: 1.0
251461	

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Components Chemical name	CAS-No.	Classification	Concentration
	EC-No. Index-No. Registration number		Concentration (% w/w)
Tetrapotassium pyrophosphate	7320-34-5 230-785-7 01-2119489369-18- xxxx	Eye Irrit. 2; H319	>= 10 - < 15
potassium hydroxide	1310-58-3 215-181-3 01-2119487136-33- xxxx	Met. Corr. 1; H290 Acute Tox. 4; H302 Skin Corr. 1A; H314 Eye Dam. 1; H318 specific concentration limit Skin Corr. 1A; H314 $\geq = 5 \%$ Skin Corr. 1B; H314 2 - < 5 % Skin Irrit. 2; H315 0,5 - < 2 % Eye Irrit. 2; H319 0,5 - < 2 %	>= 5 - < 10
SODIUM METASILICATE PENTAHYDRATE	10213-79-3 229-912-9 01-2119449811-37- XXXX	Met. Corr. 1; H290 Skin Corr. 1B; H314 Eye Dam. 1; H318 STOT SE 3; H335 (Respiratory system)	>= 1 - < 2,5
Substances with a workplace expo	osure limit :		
Dipropylene glycol monomethyl ether	34590-94-8 252-104-2 01-2119450011-60- xxxx		>= 2,5 - < 5

For explanation of abbreviations see section 16.

SOLENIS. Strong bonds. Trusted solutions.	Page: 4
SAFETY DATA SHEET	Revision Date: 06.10.2022
	Print Date: 27.06.2023
	SDS Number: R1600030
HTH SPA CLEAN	Version: 1.0
251461	

SECTION 4: First aid measures

General advice	: Move out of dangerous area.
General advice	Consult a physician.
	Show this safety data sheet to the doctor in attendance.
	Do not leave the victim unattended.
If inhaled	: Move to fresh air.
	If breathed in, move person into fresh air.
	Keep patient warm and at rest.
	If unconscious, place in recovery position and seek medical
	advice. If symptoms persist, call a physician.
	ii symptoms persist, can a physician.
In case of skin contact	: If on skin, rinse well with water.
	Wash contaminated clothing before re-use.
In case of eye contact	: In the case of contact with eyes, rinse immediately with plenty
	of water and seek medical advice.
	Continue rinsing eyes during transport to hospital.
	Remove contact lenses.
	Protect unharmed eye.
If swallowed	: Get medical attention immediately.
	Do NOT induce vomiting.
	Rinse mouth with water.
	Do not give milk or alcoholic beverages.
	Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.
2 Most important symptom	s and effects, both acute and delayed
	· · · · ·
Symptoms	: Signs and symptoms of exposure to this material through breathing, swallowing, and/or passage of the material through the skin may include:

	breathing, swallowing, and/or passage of the material through the skin may include: stomach or intestinal upset (nausea, vomiting, diarrhea) irritation (nose, throat, airways) Cough lung edema (fluid buildup in the lung tissue)
Risks	: Causes serious eye damage. Causes severe burns.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment	: No hazards which require special first aid measures.
-----------	--

	Page: 5
SAFETY DATA SHEET	Revision Date: 06.10.2022
	Print Date: 27.06.2023
	SDS Number: R1600030
HTH SPA CLEAN	Version: 1.0
251461	

SECTION 5: Firefighting measures

5.1 Extinguishing media		
Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water spray Foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	High volume water jet
5.2 Special hazards arising from	the	e substance or mixture
Specific hazards during firefighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	:	Oxides of phosphorus potassium oxide Carbon monoxide Carbon dioxide (CO2) Hydrocarbons
5.3 Advice for firefighters		
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
Specific extinguishing methods	:	Product is compatible with standard fire-fighting agents.
Further information	:	Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Use personal protective equipment. Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed. Comply with all applicable federal, state, and local regulations.
6.2 Environmental precautions		
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform

	Page: 6
SAFETY DATA SHEET	Revision Date: 06.10.2022
	Print Date: 27.06.2023
	SDS Number: R1600030
HTH SPA CLEAN	Version: 1.0
251461	

respective authorities.

6.3 Methods and material for con	taiı	nment and cleaning up
Methods for cleaning up	:	Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For further information see Section 8 and Section 13 of the safety data sheet.

SECTION 7: Handling and storage

7.1 Precautions for safe handling	
Advice on safe handling :	Do not breathe vapours/dust. When diluting, always add the product to water. Never add water to the product. Container hazardous when empty. Avoid contact with skin and eyes. Smoking, eating and drinking should be prohibited in the application area. For personal protection see section 8. Dispose of rinse water in accordance with local and national regulations.
Advice on protection against : fire and explosion	Normal measures for preventive fire protection.
Hygiene measures :	Wash hands before breaks and at the end of workday. When using do not eat or drink. Ensure that eyewash stations and safety showers are close to the workstation location. When using do not smoke.
7.2 Conditions for safe storage, inc	luding any incompatibilities
Requirements for storage : areas and containers	Keep container tightly closed in a dry and well-ventilated place. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.
Further information on : storage stability	No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : No data available

	Page: 7
SAFETY DATA SHEET	Revision Date: 06.10.2022
	Print Date: 27.06.2023
	SDS Number: R1600030
HTH SPA CLEAN	Version: 1.0
251461	

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis	
potassium hydroxide	1310-58-3	STEL	2 mg/m3	GB EH40	
Dipropylene glycol	34590-94-8	TWA	50 ppm	GB EH40	
monomethyl ether			308 mg/m3		
	Further information: Can be absorbed through the skin. The assigned				
	substances are those for which there are concerns that dermal absorption will				
	lead to systemic toxicity., Where no specific short-term exposure limit is listed,				
	a figure three times the long-term exposure limit should be used.				
		TWA	50 ppm	2000/39/EC	
			308 mg/m3		
	Further information: Identifies the possibility of significant uptake through the skin. Indicative				

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
potassium hydroxide	Workers	Inhalation	Long-term local effects	1 mg/m3
Remarks:	respiratory tract	irritation		
	General population	Inhalation Long-term local effects		1 mg/m3
Remarks:	respiratory tract	irritation		
Dipropylene glycol monomethyl ether	Workers	Inhalation	Long-term systemic effects	310 mg/m3
Remarks:	Repeated dose toxicity			
	Workers	Dermal	Long-term systemic effects	65 mg/kg
Remarks:	Repeated dose toxicity			
	General population	Inhalation	Long-term systemic effects	37,2 mg/m3
Remarks:	Repeated dose toxicity			
	General population	Dermal	Long-term systemic effects	15 mg/kg
Remarks:	Repeated dose toxicity			
	General population	Oral	Long-term systemic effects	1,67 mg/kg
Remarks:	Repeated dose toxicity			

	Page: 8
SAFETY DATA SHEET	Revision Date: 06.10.2022
	Print Date: 27.06.2023
	SDS Number: R1600030
HTH SPA CLEAN	Version: 1.0
251461	

8.2 Exposure controls

Engineering measures

Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Personal protective equipment	nt
Eye protection	 Wear chemical splash goggles and face shield when there is potential for exposure of the eyes or face to liquid, vapor or mist. Maintain eye wash station in immediate work area.
Hand protection	
Remarks	The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Skin and body protection	 Wear as appropriate: Impervious clothing Chemical resistant apron Safety shoes Choose body protection according to the amount and concentration of the dangerous substance at the work place. Wear resistant gloves (consult your safety equipment supplier). Discard gloves that show tears, pinholes, or signs of wear.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Colour	:	transparent
Odour	:	fruity
Odour Threshold	:	No data available
Melting point/freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower	:	No data available

	Page: 9
SAFETY DATA SHEET	Revision Date: 06.10.2022
	Print Date: 27.06.2023
	SDS Number: R1600030
HTH SPA CLEAN	Version: 1.0
251461	

flammability limit

Flash point	:	Not applicable
Decomposition temperature	:	No data available
рН	:	14
Viscosity Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Solubility(ies) Water solubility	:	soluble
Solubility in other solvents	:	No data available
Partition coefficient: n- octanol/water	:	No data available
Vapour pressure	:	No data available
Relative density	:	No data available
Density	:	1,05 g/cm3
Relative vapour density	:	No data available
Other information		
Oxidizing properties	:	No data available
Self-ignition	:	No data available
Metal corrosion rate	:	Not corrosive to metals

SECTION 10: Stability and reactivity

10.1 Reactivity

9.2

No decomposition if stored and applied as directed.

10.2 Chemical stability

Evaporation rate

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Product will not undergo hazardous polymerization.

: No data available

	Page: 10
SAFETY DATA SHEET	Revision Date: 06.10.2022
	Print Date: 27.06.2023
	SDS Number: R1600030
HTH SPA CLEAN	Version: 1.0
251461	

10.4 Conditions to avoid	
Conditions to avoid :	Do not allow evaporation to dryness.
	Heat, flames and sparks. Exposure to air.
10.5 Incompatible materials	
Materials to avoid :	Acids Alcohols Amines chlorinated solvents halogenated hydrocarbons Metals salts of strong bases strong bases Strong oxidizing agents Zinc This product should not be used in conjunction with trimethylol propane or trimethylol propane-derived products. There is a possibility that bicyclic phosphates or phosphites can be produced as a result of the thermal decomposition of this product in combination with trimethylol propane, trimethylol propane-derived products or their corresponding trimethylol propane alkane homologs. Bicyclic phosphates and phosphites are a class of materials with acute neurotoxic properties which produce characteristic convulsive seizures in test animals.

10.6 Hazardous decomposition products

Hazardous decomposition products	: Oxides of phosphorus potassium oxide Carbon monoxide Carbon dioxide (CO2)
	Hydrocarbons
	Aldehydes
	Ketones

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Components:

Tetrapotassium pyrophosphate:

Acute oral toxicity : LD L0 (Rat): 4.640 mg/kg

	Page: 11
SAFETY DATA SHEET	Revision Date: 06.10.2022
	Print Date: 27.06.2023
	SDS Number: R1600030
HTH SPA CLEAN	Version: 1.0
251461	

Acute dermal toxicity	:	LD50 (Rabbit): > 4.640 mg/kg
potassium hydroxide: Acute oral toxicity		LD50 (Rat): 333 mg/kg
Acute or al toxicity	•	LD30 (Nat). 333 mg/kg
Acute dermal toxicity	:	LD50 (Rabbit): 1.260 mg/kg Assessment: No adverse effect has been observed in acute dermal toxicity tests.
Dipropylene glycol monom	ethy	vl ether:
Acute oral toxicity	-	LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	:	LC 50 (Rat, female): > 275 ppm
		Exposure time: 7 h Test atmosphere: vapour
		Method: OECD Test Guideline 403
		Remarks: No mortality observed at this dose.
Acute dermal toxicity	:	LD50 (Rat): > 5.000 mg/kg
Skin corrosion/irritation		
Causes severe burns.		
Product:		
Remarks	:	Causes severe skin burns and eye damage. The feeling of irritation or pain may be delayed.
Components:		
Tetrapotassium pyrophosp	hate	9:
Result	:	Mildly irritating to skin
potassium hydroxide:		
Result	:	Corrosive to skin
SODIUM METASILICATE PI	ENT	
Result	:	Corrosive to skin
Dipropylene glycol monom	ethy	yl ether:
Result	:	Not irritating to skin
Serious eye damage/eye irr Causes serious eye damage.		ion

SOLENIS. Strong bonds. Trusted solutions.	Page: 12
SAFETY DATA SHEET	Revision Date: 06.10.2022
	Print Date: 27.06.2023
	SDS Number: R1600030
HTH SPA CLEAN	Version: 1.0
251461	

Product:

Remarks

: May cause irreversible eye damage.

Components:

Tetrapotassium pyropho	sphate	:
Result	:	Irritating to eyes

potassium hydroxide:

Result : Corrosive to eyes

SODIUM METASILICATE PENTAHYDRATE:

Result : Corrosive to eyes

Dipropylene glycol monomethyl ether:

Result : Mildly irritating to eyes

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

Components:

SODIUM METASILICATE PENTAHYDRATE:

Assessment : May cause respiratory irritation.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

	Page: 13
SAFETY DATA SHEET	Revision Date: 06.10.2022
	Print Date: 27.06.2023
	SDS Number: R1600030
HTH SPA CLEAN	Version: 1.0
251461	

11.2 Information on other hazards

Endocrine disrupting properties		
Product:		
Assessment	: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.	
Further information		
<u>Product:</u> Remarks	: No data available	

SECTION 12: Ecological information

12.1 Toxicity

Components:			
potassium hydroxide:			
Ecotoxicology Assessment		This product has no known contexical size officity	
Acute aquatic toxicity	:	This product has no known ecotoxicological effects.	
Chronic aquatic toxicity	:	This product has no known ecotoxicological effects.	
SODIUM METASILICATE PENTAHYDRATE:			
Toxicity to fish	:	LC50 (Danio rerio (zebra fish)): 180 mg/l Exposure time: 96 h	
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 1.700 mg/l Exposure time: 48 h	
Toxicity to algae/aquatic plants	:	EC50 (Desmodesmus subspicatus (green algae)): 207 mg/l Exposure time: 72 h	
Dipropylene glycol monome	thy	/l ether:	
Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): > 10.000 mg/l Exposure time: 96 h Test Type: static test	
Toxicity to daphnia and other aquatic invertebrates	:	LC 50 (Daphnia magna (Water flea)): 1.919 mg/l Exposure time: 48 h	
Toxicity to algae/aquatic	:	EC50 (Pseudokirchneriella subcapitata (green algae)): > 969	

SOLENIS, Strong bonds. Trusted solutions.	Page: 7
SAFETY DATA SHEET	Revision Date: 06.10.202
	Print Date: 27.06.202
	SDS Number: R160003
HTH SPA CLEAN	Version: 1
251461	
plants	mg/l Exposure time: 72 h

	Exposure time: 72 h Test Type: Growth inhibition
12.2 Persistence and degradability	1
Components:	
potassium hydroxide:	
Biodegradability	Result: The methods for determining biodegradability are not applicable to inorganic substances.
Dipropylene glycol monometh	nyl ether:
Biodegradability :	Biodegradation: 75 % Exposure time: 28 d Method: OECD Test Guideline 301F
Chemical Oxygen Demand : (COD)	2,02 mg/g
ThOD :	2,06 mg/g
12.3 Bioaccumulative potential	
Product:	
Bioaccumulation :	Remarks: The bioaccumulation potential cannot be determined.
12.4 Mobility in soil	
No data available	
12.5 Results of PBT and vPvB ass	essment
Product:	
Assessment :	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher
12.6 Endocrine disrupting propert	ies
Product:	

Assessment	 The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher
	levels of 0.1% or higher.

	Page: 15
SAFETY DATA SHEET	Revision Date: 06.10.2022
	Print Date: 27.06.2023
	SDS Number: R1600030
HTH SPA CLEAN	Version: 1.0
251461	

12.7 Other adverse effects

Product:

Additional ecological	:	No data available
information		

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	:	Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
		Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty remaining contents. Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.

SECTION 14: Transport information

14.1 UN number or ID number

ADR: UN3266

ADN: UN3266

RID: UN3266

IMDG-Code: UN3266

IATA-DGR: UN3266

14.2 UN proper shipping name

ADR: CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (POTASSIUM HYDROXIDE, DISODIUM METASILICATE) ADN: CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (POTASSIUM HYDROXIDE, DISODIUM METASILICATE) RID: CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (POTASSIUM HYDROXIDE, DISODIUM METASILICATE) IMDG-Code: CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (POTASSIUM HYDROXIDE, DISODIUM METASILICATE)

	Page: 16
SAFETY DATA SHEET	Revision Date: 06.10.2022
	Print Date: 27.06.2023
	SDS Number: R1600030
HTH SPA CLEAN	Version: 1.0
251461	

IATA-DGR: Corrosive liquid, basic, inorganic, n.o.s. (POTASSIUM HYDROXIDE, DISODIUM METASILICATE)

14.3 Transport hazard class(es)

ADR: 8 ADN: 8 RID: 8 IMDG-Code: 8 IATA-DGR: 8

14.4 Packing group

ADR: ||| ADN: ||| RID: ||| IMDG-Code: ||| IATA-DGR: |||

14.5 Environmental hazards

ADR: Not applicable ADN: Not applicable RID: Not applicable IMDG-Code: Not applicable IATA-DGR: Not applicable

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on	:	Conditions of restriction for the
the market and use of certain dangerous substances,		following entries should be
mixtures and articles (Annex XVII)		considered:
		Number on list 3

	Page: 17
SAFETY DATA SHEET	Revision Date: 06.10.2022
	Print Date: 27.06.2023
	SDS Number: R1600030
HTH SPA CLEAN	Version: 1.0
251461	

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	: Not applicable
REACH - List of substances subject to authorisation (Annex XIV)	: Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	: Not applicable
Regulation (EU) 2019/1021 on persistent organic pollutants (recast)	: Not applicable
UK REACH List of substances subject to authorisation (Annex XIV)	: Not applicable
Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals	: Not applicable
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.	Not applicable
Regulation (EC) No.: 5 % or over but less648/2004, as amended	than 15 %: Phosphates

Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

The components of this product are reported in the following inventories:

TCSI	:	On the inventory, or in compliance with the inventory
TSCA	:	All substances listed as active on the TSCA inventory
AIIC	:	On the inventory, or in compliance with the inventory
DSL	:	All components of this product are on the Canadian DSL
ENCS	:	On the inventory, or in compliance with the inventory
KECI	:	On the inventory, or in compliance with the inventory
PICCS	:	On the inventory, or in compliance with the inventory

	Page: 18
SAFETY DATA SHEET	Revision Date: 06.10.2022
	Print Date: 27.06.2023
	SDS Number: R1600030
HTH SPA CLEAN	Version: 1.0
251461	

IECSC

: On the inventory, or in compliance with the inventory

15.2 Chemical safety assessment

No data available

CTION 16: Other info	rmation		
Further information Revision Date: 06.10.2	2022		
Classification of the r	nixture:	Classification procedure:	
Skin Corr. 1	H314	Based on product data or assessmen	
Eye Dam. 1	H318	Based on product data or assessmen	
Full text of H-Stateme	ents		
H290 H302 H314 H318 H319 H335	: Harmful if swa : Causes sever : Causes seriou : Causes seriou	May be corrosive to metals. Harmful if swallowed. Causes severe skin burns and eye damage. Causes serious eye damage. Causes serious eye irritation. May cause respiratory irritation.	
Full text of other abb	reviations		
Acute Tox. Eye Dam. Eye Irrit. Met. Corr. Skin Corr. STOT SE 2000/39/EC	: Europe. Com list of indicativ	lamage netals า t organ toxicity - single exposure mission Directive 2000/39/EC establishing a first /e occupational exposure limit values	
GB EH40 2000/39/EC / TWA GB EH40 / TWA GB EH40 / STEL	: Limit Value - e : Long-term exp	UK. EH40 WEL - Workplace Exposure Limits Limit Value - eight hours Long-term exposure limit (8-hour TWA reference period) Short-term exposure limit (15-minute reference period)	

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory

	Page: 19
SAFETY DATA SHEET	Revision Date: 06.10.2022
	Print Date: 27.06.2023
	SDS Number: R1600030
HTH SPA CLEAN	Version: 1.0
251461	

concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Verv High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Safety Data Sheet Key literature references and sources of data SOLENIS Internal data SOLENIS internal data including own and sponsored test reports The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. This SDS has been prepared by the Solenis Environmental Health and Safety Department.

GB / EN